


25,627 / C

Ornamental Gardening.



W. M. Craig del.

R. Hicks sculp.

*Designs for Classical Ornaments,
to Display Flowers in Water, or in Pots, against
Walls, in Niches, or on Tables.*



Wisdom and Charity collecting the various Treasures of the Good to Mankind









Compound Leaves.





Disposition of Leaves.

T. Smith sculp.



Trunks.






W. Swift sculp.



T. Smith sculp.





Parts of Fructification.

1. *Boletus edulis*



Compound Flowers.




Nectarium.

T. Smith sculp.

Sexual Organs.


Nectarium resumed.



Modes of Flowering.







Parts of Fructification resumed.



The Orders, or *Secondary Divisions* of the *Sexual System*.



T. Smith sculp.



1740



AMARYLLIS REGINAE — Mexican Lily.



P. 117.

ARCTOTIS GRANDIFLORA.



P. 98



ANEMONE

Narrow leaved Double Anemone

P. 750.



INDIGOFERA TINCTORIA

— *Dyer's Indigo.*

P. 103. 256.



ANNONA. *The Papaw*

Vol. 2 — P. 193



ONONIS. *The early shrubby Purple Rest Harrow.*

ALOE VARIEGATA — *Furcigæ - breasted Aloe.*



P. 80.

ALOE LINGUA — *Tongue Aloe.*




P. 81.





AGAVE LURIDA — Vera Cruz, Agave.



P. 140.



T. Dixon sculp.



ATROPA MANDRAGORA — Mandrake.


P. 140.



ATROPA BELLADONNA — Deadly Nightshade.




P. 116.



ARCTIUM LAPPA.
Woolly-headed Burdock.

P. 116.



ANTHOLYZA
Scarlet-flowered

CUNONIA.
Antiochyza.



GOMPHRENA. *Globe Amaranth.*



AGRIMONIA. *Sweet-scented Agrimony.*



ALOE. *Barbadoe Aloe.*



ADONIS. *The Common Adonis, or Pheasant's Eye.*




P. 120.



ARGEMONE, Mexican Prickly Poppy.

P. 132.



ASPARAGUS - The Common Asparagus.

P. 141.



ASTER - Virginian Starwort

P. 142.



ASTRAGALUS - Taller Fox-tail Milk-Vetch.

J. Chorley

P. 104



ANTHEMIS. *Fennel of Spain.*

P. 109




ANTIRRHINUM. *Rock Toad-flax, or Snap-Dragon*

P. 115




ARBUTUS. *Common Strawberry Tree.*

P. 122



ARISTOLOCHIA. *Common Birthwort.*








Dumb Cane Arum.

ARUM.



Common Arum.

ARUM.



Common Asarabacca.

ASARUM.



BERBERIS — *The Common Berberry.*




BIGNONIA — *The Trumpet-flower.*




BORAGO — *Oriental Borage.*



Bugloss, or *Garden Alkanet*





P. 230.

CARDUUS — Meadow Thistle.



P. 240.

CANNABIS — Female Hemp.

Male Hemp.

P. 195.



ROMELIA — Sugar-leaf Pine-apple.

P. 205.



BUPHTHALMUM — Sunflower-leaved Os-Kye.

P. 201.




BRYONIA — Red-berried White Bryony.

P. 210.



BUPLEURUM — Shrubby Hare's Ear.





P. 105.



CUCURBITA CITRULLUS.
Water Melon.

P. 126.



CYPRIPEDIUM.
Lady's Slipper.

P. 119.





CYNOGLOSSUM OFFICINALE.

Com. Hoins's Tongue.

P. 413.



CYCLAMEN PERSICUM.
Persian Cyclamen.








P. 586.

P. Hittori sculpt.



P. 585.



CNICUS — *Siberian Cnicus*.



CONVALLARIA POLYGONATA.


Solomon's Seal.



Least Solomon's Seal.




COLUTEA — *Common Bladder Senna*.



COLUTEA — *Pocock's Bladder Senna*.

F. Billiard Sc.



Syrian Bindweed, or Scammony.

P. 351.



P. 353.



Trailing Bindweed, or Convolvulus Minor.

P. 355.



Jalap Bindweed.

CAUCALIS. Bread-leaved Bastard Parsley.



CEANOTHUS

New Jersey Tea.



P. 282.



P. 288.



CERES SILIQUASTRUM. — Common Judas Tree.

CHELIDONIUM — Common, or Great Celandine.








CACTUS OPUNTIA—Common Indian Fig.



CACTUS GRANDIFLORUS—Night-flowering Cereus.

CITRUS — *The Citron.*




COLCHICUM — *Variegated Meadow Saffron.*




CISTUS LADANIFERUS — *Spanish Gum Cistus.*





COFFEA ARABICA — *Eastern Coffee Tree.*



DIANTHUS.







DIGITALIS CANARIENSIS — *Canary Shrubby Foxglove.*



DICTAMNUS ALBUS — *Fraxinella.*



P. 454.



P. 442.



DIGITALIS PURPUREA — *Purple Foxglove.*

DELPHINIUM GRANDIFLORUM — *Great-flowered Delphinium.*

P. 434.



DAPHNE LAUREOLA — Spurge Laurel.

P. 435.




DATURA STRAMONIUM.

Common Thistle.





P. 503.



EPIMEDIUM ALPINUM —
Barrenwort.

P. 520.




ERYNGIUM MARITIMUM — *Sea Eryngo.*

P. 532.



EUPATORIUM CANNABINUM —
Hemp Agrimony.

P. 537.



EUPHORBIA NERIIIFOLIA — *Oleander-leaved Spurge.*

T. Dixon sc.

EUPHORBIA HELIOSCOPIA — *Sun Spurge.*

FAGUS SYLVATICA — *Common Beech Tree.*



P. 542.



P. 552



P. 548.



P. 550.

FAGUS CASTANEA — *Common Chestnut Tree.*

FERRARIA UNDULATA — *Cape Ferraria*

T. Dine


P. 574.




P. 581.













GENTIANA LUTEA — Yellow Gentian.



FUMARIA OFFICINALIS —
Common Fumitory.



GALEGA OFFICINALIS — Gouty Rue.

GOSSYPIMUM RELIGIOSUM — Spotted-bark Cotton Tree.

GLADIOLUS — Byzantium Corn Flag.

P. 634.

P. 614.



P. 614.

P. 630.



GLADIOLUS — Cape Corn Flag.

GUNDELIA TOURNEFORTII.

GARDENIA — *Cape Jasmine.*



P. 506.

GENTIANA SAPONARIA —

Soapwort leaved Gentian.



P. 601.



P. 604.



P. 602.





HELIOTROPIMUM -
Peruvian Turnsole.



HIBISCUS ABELMOSCHUS -
Tiger-leaved Hibiscus.



HEDYSARUM ONOBRYCHIS -
Sainfoin.



HYOSCYAMUS ALBUS

White Henbane

HYPERICUM OLIMPICUM — *Olympian St. John's Wort.*



HYPERICUM MONOGYNUM — *Chinese St. John's Wort.*

12. 7. 55.



P. 7. 54.

P. 217



HYACINTHUS ORIENTALIS — *Eastern Hyacinth.*


P. 694



HIPPOMANE MANCINELLA — *Manchineel Tree.*




IMPATIENS BALSAMINA — Garden Balsam.



AQUIFOLIUM — Common Holly.

P. 770.



P. 780.



P. 780.



IXIA.—Deep Yellow tube-lark.

KALMIA LATIFOLIA.—Brown-leaved Kalmia.

IRIS SQUALENS.—Brown-flowered Iris.


Improved Flower Stands.






1. To stand in the Middle of a Room.—2. For a Corner.—3 & 4. To stand against a Wall.—5. To stand in a Hall, or large Window
6. To stand near a Window, or on the Landing of a Staircase, and correspond with the Candelabras; the Water being
given to the uppermost Plant, will be distributed to all the others by Tubes in the Frame Work.

Document 10 H. H. - House Windsor, L


Made of Cast Iron & Hard Glass.



12 0 6 5 0



Elevation of the Back Wall.



The Back Wall of the Shed.





The Pit, for the Plants, Four Feet deep, to be filled with Bark, or Earth.

- A. The Front Sash.
- B. The Top Sash.
- C. The Lower Sash.
- D. The Cistern, over the Fire for


- airing the Water.
- E. The Door into the Conservatory.
- F. The Back Flues, 5 Feet high.
- G. The Back Shed Windows.

- H. The Fire Grates, in the Shed.
- K. The Front Wall and Flue.
- L. The Cock for drawing Water from the Cistern.
- M. The Back Wall and Flue.

East End of the Building.




East End of the Building.
East End of the Building.



Promelia? Pine & Dove?

- | | |
|---|---|
| A. The Vine Border. | E. The Fire Grates. |
| B. Doors into the Stove and Shed. | F. Stairs into the Chamber over the Shed. |
| C. Pits for the Pines. | G. Windows of the Shed and Chamber. |
| D. Pit in the Shed for early Mushrooms. | H. Door into Stove from the Shed. |






Elevation.

A Double Viney.



10 0 10 20 30 Feet.



A. Front and Back Walls.

B. Pits for a Crop of Figs or Peaches, in Pots, and Mush-rooms under them. To be filled with fresh Dung at the beginning of forcing the Vines; which will be of essential service to the Vines, and ensure a crop.

C. Stone Parapet.

D. Border for the Vines to run in.

The Fruit to grow against the Back Wall.

Grapes fit for cutting in April and May.

E. Open Shed behind the Viney. F. Fire Houses.

W. M. H. J. J. J.



Ornamental Gardening.




*Suggestions for making a regular form of Ground picturesque, by
giving Views into the neighbouring Scenery.*



Quarantine!

Showering.



How to make the most of a small irregular piece of ground.
From near the boundary across the river which the opposite boundary can be discovered.





VOL. 2.

The Elements concurring to produce Plants and Flowers.





P. 17.



P. 38.

LICHEN PYXIDATUS.



P. 37.

LICHEN CANINUS.


H. Proctor del.



P. 58.



P. 62.



P. 64.



LYCHNIS —

Double Portulaca
Perennial Lychnis.


LYNCHES PERICLYMENUM —
Late Red Knapweed.

LYPINA PERENNIS —
Perennial Lupine.





P. 42.


LILIUM — *Philadelphian Martagon Lily.*



P. 17

LINUM PERENNE — *Perennial Flax.*





MYRTUS — The Roman Myrtle.




The Double-flowering Myrtle.

C. 11. 1. 1.









Different Species of the Sensitive-Plant from Vera Cruz




MAGNOLIA GRANDIFLORA —

Lamuel - painted Magnolia.



MALVA SYLVESTRIS — *Common Mallow.*






NICOTIANA —

Nicotiana glauca (Lam.)

NICOTIANA —

Nicotiana glauca (Lam.)



NIGELLA DAMASCENA

Nigella damascena (Lam.)



P. 206.



ORCHIS MASCULA

Male, or Early Spotted Orchis.

P. 187.



ENOThERA

Great-flowered Tree Primrose.

P. 226.



OXALIS ACETOSELLA — *Common Wood Sorrel.*

P. 331.



PINUS NIGRA — Black Spruce Fir Tree.

P. 324



PINUS HALEPENSIS — Aleppo Pine Tree.

P. 202.



P. 229.



PANCRATIUM MARITIMUM

See Rhynchosium

PAEONIA

The Japanese Peony

F. Howard sc.








PSORALEA ESCULENTA.

Esculent. Psoralea.



PRENANTHES SERPENTARIA.

— Linné - foot.

P. 493.

PRIMONARIA VIRGINICA —
Virginian Longwort.

P. 496.

PRUNELLA VITIGARIS —
Common Self-heal.

P. 499.

PRUNUS LUSITANICA —
Portugal Laurel.






P. 210



P. 210







PHYSALIS PENNSYLVANICA —
Pennsylvanian Winter Cherry.



PLANTAGO ALISMA —
Great Water Plantain.



PHYTOLACCA ICOSANDRA — *Red Phytolacca.*

P. 276.



PENTAPETES

PHENICEA—

Scarlet-flowered Pentapetes.

P. 287.




PHLOX

DIVARICATA—


Early-flowering Lithindia.

PHLOX MACULATA—

Spotted-stemmed Lithindia.







The Fruit-bearing Pomegranate.

The Double-flowering Pomegranate.

P. 377.

P. 37a.

P. 37b.

POLYGONUM ORIENTALE -


Portulaca Persicaria


POLYMONIUM REPENS -

Great Watermint

POLYGONUM DISTORTA -


Great Watermint
or *Shade-wort*





P. 477

ROBINIA HISPIDA —
Rose Acacia.




J. H. Chapman

P. 442.

QUERCUS EGILOPS —
Great Prickly-cupped Oak Tree.



Acorn.



Cup.

Male Flower.

Pl. 464.




RHEXIA CILIOSA.

Pl. 463.



RHEXIA COMPACTA.
Thick-leaved Rhubarb.

Pl. 464.



RHEXIA LUTEA.

P. 494.



W. Milnes, sc.

RUBUS ODORATUS —
Flowering Raspberry.

P. 494.



RUBUS SPECTABILIS —
Elegant American Bramble.



Most of the Flowers here represented are such as the Florists term Semi-Double; and from the Seeds of such, all the most valuable Varieties are produced.




RICINUS COMMUNIS, or RUGOSUS —

The Wrinkled Capsuled Palma Christi.




ROSA.



The Moss Provener Rose

The York and Lancaster Rose.





SOLANUM INERME.



SOLANUM HETERANDRUM


American Horned Nighthshade.



The Common Lilac.


The Persian Jasmine, or Lilac.

The Sporn, or Persian Lilium





STYRAX OFFICINALE.
Official Styrax.



SCHINUS MOLLE.
Peruvian Mastic Tree.

P. 557.



SCROPHULARIA SAMBUCIFOLIA — Elder-leaved Figwort.

P. 549.



SCOLYMUS HISPANICUS — Perennial Golden Thistle.

P. 565.



SERRATULA PREALTA — Tall Saw-wort.

P. 550.




SCORPIURUS SULCATA — Three-flowered Caterpillar.

G. Doble sc.





SAXIFRAGA — Mountain Pyramidal Saxifrage.



SARRACENIA PURPUREA — Side-Saddle Flower.

STAPELIA HIRSUTA —
Hairy Stapelia, or Carrion Flower.



SPHÆA TRIFOLIATA —
Common Three-leaved Spina.








THEA — The Tea Tree.

R. H. B. 1828.




Columbine-leaved Meadow Rue.


THALICTRUM
AQUILEGIFOLIUM.



TULIPA.

Variegated Tulips.








TRIFOLIUM RUBENS -
Long-spiked Trefoil.



TIGAREA TRIDENTATA.



TRIFOLIUM CHERLERI -
Hairy Pink Trefoil.



TAMARIX GERMANICA.

German Tamarisk.

TAMARIX GALLICA.
French Tamarisk.


TEUCHIUM LUCIDUM.

Shining Germander.



TEUCHIUM BOTRYS.

Cat-leaved Annual Germander.





P. 719.




TURNERA ULMIFOLIA — Elm-leaved Turnera.

P. 753.



VIOLA TRICOLOR —
Pansy Violet, or Heart's Ease.

P. 723.





VACCINIUM MYRTILLUS — Bilberry, or Bleaberry.

P. 734.



VERBASCUM MYCONI — Borage-leaved Mullein.






P. 739.



VERONICA OFFICINALIS
— Common Speedwell.

P. 747.




VICIA SEPIUM — Bush Vetch.

P. 736.



VERBENA OFFICINALIS — Common Vervain.





P. 198.

WATSONIA HUMILIS.
Crinum Watsonia.

WATSONIA VERIANA.
Red Watsonia.

WATSONIA ROSEO-ALBA.
Long-tubed Watsonia.



VIOLA ODORATA,

Sweet Violet.

VINCA ROSEA,

Madagascar Periwinkle.





XERANTHEMUM ANNUUM. —
Purple Cornflower, or Eternal Flower.



ZYGOPHYLLUM FABAGO. —
Common Bean Tree.

